

Haddenham

Beetles identified by R.G. Booth on a visit to the 'Guppy's Pond' area
TL468762 on 1st July 1995.

CARABIDAE

Amara aulica (Panzer)

Demetrius imperialis (Germar) - a local wetland species listed as Nationally
notable (Category B) in Hyman & Parsons (1992)

Dromius linearis (Olivier)

STAPHYLINIDAE

Anotylus sculpturatus (Gravenhorst)

Stenus bifoveolatus Gyllenhal

SCIRTIDAE (species of wet habitats, with (semi-)aquatic larvae)

Cyphon coarctatus Paykull

C. phragmiteticola Nyholm

Scirtes hemisphaericus (Linnaeus)

CANTHARIDAE

Cantharis nigra (De Geer)

Rhagonycha fulva (Scopoli)

DERMESTIDAE

Anthrenus fuscus Olivier

ANOBIIDAE

Ptilinus pectinicornis (Linnaeus) - a wood-boring beetle, specimen found in an
elm stump.

NITIDULIDAE

Kateretes rufilabris (Latreille) - a wetland species

Meligethes aeneus (Fabricius)

PHALACRIDAE

Phalacrus fimetarius (Fabricius)

Stilbus oblongus (Erichson) - a wetland species

COCCINELLIDAE

Coccidula scutellata (Herbst) - a wetland species

Rhyzobius litura (Fabricius)

Anisosticta novemdecimpunctata (Linnaeus) - a wetland species

LATHRIDIIDAE

Aridius bifasciatus (Reitter)

OEDEMERIDAE

Oedemera lurida (Marsham)

CHRYSOMELIDAE

Galerucella californiensis (Linnaeus) - a wetland species

Longitarsus jacobaeae (Waterhouse)

L. suturellus (Duftschmid)

Altica lythri Aubé - a common species of damp habitats

Batophila aerata (Marsham)

Crepidodera ferruginea (Scopoli)

Chalcoides fulvicornis (Fabricius)

Chaetocnema concinna (Marsham)

C. hortensis (Fourcroy)

APIONIDAE

Apion onopordi Kirby

A. malvae (Fabricius)

A. tenue Kirby

A. rufirostre (Fabricius)

A. radiolus (Marsham)

CURCULIONIDAE

Sitona lineatus (Linnaeus) *S. humeralis* Stephens
Hypera rumicis (Linnaeus) *H. postica* (Gyllenhal)
Tanysphyrus lemnae (Paykull) - a wetland species, feeds on *Lemna*.
Ceutorhynchus chalybaeus (Germar) [= *timidus* Weise]
C. pyrrhorhynchus (Marsham)
C. constrictus (Marsham) - a local species associated with *Alliaria petiolata*
garlic mustard and listed as Nationally notable (Category B) in Hyman &
Parsons (1992)
Tychius (= *Miccotrogus*) *picrostris* (Fabricius)
T. meliloti Stephens
Gymnetron antirrhini (Paykull)

Nomenclature follows Pope's 1977 checklist, unless indicated otherwise.

Most beetles were collected by sweeping around the edge of Guppy's Pond or from the rough grassland/ disturbed areas nearby. Time for searching was very limited and the above list barely scratched the surface of the potential list of species for the area. No attempt was made to collect any water beetles and these would be well worthwhile sampling. The finding of two Notable species, one wetland, one from disturbed ground, was encouraging.

R.G. Booth
28th January 1996

Beetles from Haddenham in 1997

(a) Lower part of Drove Road TL455750, 13.vii.1997

COCCINELLIDAE

Tytthaspis sedecimpunctata (Linnaeus)

CERAMBYCIDAE

Anoplodera livida (Fabricius), 1 on mayweed flower

(b) Guppy's Pond area TL468762, 13.vii.1997

CARABIDAE - ground beetles

Amara ovata (Fabricius)

STAPHYLINIDAE - rove beetles

Atheta hybrida (Sharp), one female, a rarely collected species with very few British records.

LUCANIDAE - stag beetles

Dorcus parallelipipedus (Linnaeus), the lesser stag beetle, 1 on fallen elm trunk

CANTHARIDAE - soldier beetles

Rhagonycha fulva (Scopoli)

DERMESTIDAE

Anthrenus verbasci (Linnaeus)

ANOBIIDAE - woodworm beetles

Anobium punctatum (De Geer)

CLERIDAE

Opilo mollis (Linnaeus), a predator of woodboring insects, 1 on young elms

NITIDULIDAE - pollen and sap beetles

Meligethes nigrescens Stephens

MYCETOPHAGIDAE

Pseudotriphyllus suturalis (Fabricius)

TENEBRIONIDAE

Lagria hirta (Linnaeus)

CHRYSOMELIDAE

Podagrica fuscipes (Fabricius)

P. fuscicornis (Linnaeus)

APIONIDAE

Apion aeneum (Fabricius)

A. onopordi Kirby

CURCULIONIDAE

Zaenodius exiguus (Olivier)

Ceutorhynchus floralis (Paykull)

(c) Guppy's Pond area TL468762, 28.x.1997

STAPHYLINIDAE

Proteinus ovalis Stephens

Omalium rivulare (Paykull)

Atheta crassicornis (Fabricius)

A. nigra (Kraatz)

Beetles from Haddenham and Aldreth in 1998

(a) Aldreth TL437735, beetles from small willows by roadside or from ground from roadside verge, 5.vii.1998

CARABIDAE

Microlestes maurus (Sturm)

Syntomus truncatellus (Linnaeus) [was *Metabletus*]

Syntomus obscuroguttatus (Duftschmid) [was *Metabletus*]

STAPHYLINIDAE

Astenus lyonessius (Joy)

NITIDULIDAE

Epuraea unicolor (Olivier)

Carpophilus marginellus Motschulsky

CURCULIONIDAE

Cryptorhynchus lapathi (Linnaeus) - collected as larva in short gallery in willow stem, adult emerging later

(b) Haddenham, pond dipping at Long Ponds TL469759 during afternoon, 5.vii.1998

HALIPLIDAE

Halplus ruficollis (De Geer)

DYTISCIDAE

Hygrotus inaequalis (Fabricius)

Hydroporus palustris (Linnaeus)

Agabus bipustulatus (Linnaeus)

CERAMBYCIDAE

Stenocorus meridianus (Linnaeus), 1 seen on tree trunk

(c) Haddenham, moth trapping after dark along track TL468762, 5.vii.1998

LUCANIDAE

Dorcus parallelepipedus (Linnaeus), under elm bark

SCARABAEIDAE

Aphodius rufipes (Linnaeus)

ELATERIDAE

Melanotus villosus (Geoffroy)

TENEBRIONIDAE

Lagria hirta (Linnaeus)

(d) Aldreth TL441726, along drove road to bridge, 6.vii.1998

ELATERIDAE

Hemicrepidius hirtus (Herbst) [was *Athous*]

CANTHARIDAE

Rhagonycha fulva (Scopoli)

Malthodes minimus (Linnaeus)

Beetles from Haddenham in 2000

(a) Aldreth TL445727, sieving hay refuse at base of rolled bales at edge of field, 15.iii.2000

CARABIDAE

Syntomus truncatellus (Linnaeus) [was *Metabletus*]
Syntomus obscuroguttatus (Duftschmid) [was *Metabletus*]
Demetrias atricapillus (Linnaeus)

HYDROPHILIDAE

Megasternum concinnum agg.

PTILIIDAE

Ptenidium pusillum (Gyllenhal)

SCYDMAENIDAE

Euconnus duboisi Méquignon

STAPHYLINIDAE

Metopsia retusa (Stephens)
Omalium rivulare (Paykull)
Anotylus rugosus (Fabricius)
Stenus aceris Stephens
Lithocharis nigriceps Kraatz
Sunius propinquus (Brisout)
Astenus pulchellus (Heer)
Rugilus orbiculatus (Paykull)
Heterothops minutus Wollaston
Quedius humeralis Stephens
Tachyporus hypnorum (Fabricius)
Tachyporus nitidulus (Fabricius)
Tachyporus solutus Erichson
Cypha longicornis (Paykull)
Amischa decipiens (Sharp)
Atheta (Microdota) amicula (Stephens)
Atheta (Datomicra) nigra (Kraatz)
Atheta (Mocyta) fungi (Gravenhorst)
Atheta (Mocyta) clientula sensu (Sharp) not (Erichson)
Drusilla canaliculata (Fabricius)

CLAMBIDAE

Calyptomerus dubius (Marsham)

RHIZOPHAGIDAE

Monotoma testacea Motschulsky
Monotoma quadricollis Aubé

CRYPTOPHAGIDAE

Cryptophagus acutangulus Gyllenhal
Atomaria testacea Stephens
Atomaria nitidula (Marsham)

CORYLOPHIDAE

Orthoperus brunnipes (Gyllenhal)

COCCINELLIDAE

Tytthaspis sedecimpunctata (Linnaeus)

LATRIDIIDAE

Stephostethus lardarius (De Geer)
Enicmus transversus (Olivier)
Corticaria serrata (Paykull)
Corticaria impressa (Olivier)

Corticaria punctulata Marsham
Corticarina minuta (Fabricius) [= *fuscata* (Gyllenhal)]

CHRYSOMELIDAE

Longitarsus dorsalis (Fabricius)

(b) Haddenham TL4476, debris from barn owl nest box, 8.vii.2000

HISTERIDAE

Carcinops pumilio (Erichson)
Gnathoncus schmidtii Reitter

(c) Haddenham, Long Ponds area TL469759, 9.vii.2000

CARABIDAE

Dromius quadrimaculatus (Zenker)

STAPHYLINIDAE

Atheta crassicornis (Fabricius)

CANTHARIDAE

Malthinus frontalis (Marsham)

ANOBIIDAE

Hemicoelus fulvicornis (Sturm)
Anobium inexpectatum Lohse

NITIDULIDAE

Epuraea unicolor (Olivier)

MYCETOPHAGIDAE

Pseudotriphyllus suturalis (Fabricius)

APIONIDAE

Apion vorax Herbst

CURCULIONIDAE

Ceutorhynchus pollinarius (Forster)

Beetles from Haddenham and Aldreth in 2003

(a) Sieving litter at base of bales, edge of fenland fields, Haddenham TL4376, 5.vii.2003

CARABIDAE

Notiophilus biguttatus (Fabricius)
N. substriatus Waterhouse
Loricera pilicornis (Fabricius)
Bembidion lampros (Herbst)
Dromius melanocephalus Dejean
Metabletus truncatellus (Linnaeus)

PTILIIDAE

Ptenidium pusillum (Gyllenhal)
Acrotrichis fascicularis (Herbst)

LEIODIDAE

Agathidium laevigatum Erichson

SCYDMAENIDAE

Scydmorephes helvolus (Schaum)

STAPHYLINIDAE

Metopsia retusa (Stephens)
Sunius propinquus (Brisout)
Astenus lyonessius (Joy)
Rugilus orbiculatus (Paykull)
Gyrophypnus fracticornis (Müller)
Staphylinus globulifer Geoffroy
Heterothops minutus Wollaston
Quedius picipes (Mannerheim)
Cypha longicornis (Paykull)
Aloconota gregaria (Erichson)
Atheta palustris (Kiesenwetter)
Oxypoda haemorrhoea (Mannerheim)

CLAMBIDAE

Calyptomerus dubius (Marsham)

CRYPTOPHAGIDAE

Cryptophagus acutangulus Gyllenhal
C. pilosus Gyllenhal
Atomaria testacea Stephens

CORYLOPHIDAE

Orthoperus atomus (Gyllenhal)

LATRIDIIDAE

Latridius anthracinus Mannerheim
Enicmus transversus (Olivier)
Corticaria serrata (Paykull)

(b) sweeping vegetation at edge of dyke, Haddenham TL433766, 5.vii.2003

CARABIDAE

Ophonus rufibarbis (Fabricius)

STAPHYLINIDAE

Anotylus rugosus (Fabricius)
Atheta fungi (Gravenhorst)
A. amacula (Stephens)

ELATERIDAE

Athous bicolor (Goeze)

CANTHARIDAE

Cantharis rufa Linnaeus

Rhagonycha fulva (Scopoli)

NITIDULIDAE

Brachypterolus pulicarius (Linnaeus)

Meligethes aeneus (Fabricius)

M. morosus Erichson

CRYPTOPHAGIDAE

Atomaria linearis Stephens

CHRYSOMELIDAE

Oulema melanopus (Linnaeus)

CURCULIONIDAE

Ceutorhynchus erysimi (Fabricius)

C. contractus (Marsham)

(c) sweeping along flower-rich bank on Fairchild's farm, Haddenham TL440769,
5.vii.2003

SCYDMAENIDAE

Stenichnus scutellaris (Müller & Kunze)

STAPHYLINIDAE

Tachyporus solutus Erichson

ELATERIDAE

Agriotes sputator (Linnaeus)

CANTHARIDAE

Rhagonycha fulva (Scopoli)

NITIDULIDAE

Meligethes aeneus (Fabricius)

PHALACRIDAE

Phalacrus fimetarius (Fabricius)

COCCINELLIDAE

Rhyzobius litura (Fabricius)

Subcoccinella vigintiquatuorpunctata (Linnaeus)

LATRIDIIDAE

Latridius anthracinus Mannerheim

Aridius bifasciatus (Reitter)

Enicmus transversus (Olivier)

Cortinicara gibbosa (Herbst)

BRUCHIDAE

Bruchus loti Paykull

CHRYSOMELIDAE

Phaedon tumidulus (Germar)

Longitarsus suturellus (Duftschmid)

Altica carinthiaca Weise, feeds on *Lathyrus*, only recently recognised as a
British species

Psylliodes chrysocephala (Linnaeus)

APIONIDAE

Apion gibbirostre (Gyllenhal)

CURCULIONIDAE

Sitona lineatus (Linnaeus)
Nedyus quadrimaculatus (Linnaeus)
Gymnetron pascuorum (Gyllenhal)

(d) Sutton Gault TL4380, along bank and at edge of New Drain, 6.vii.2003

STAPHYLINIDAE

Platystethus cornutus (Gravenhorst)

CANTHARIDAE

Cantharis thoracica (Olivier)
Rhagonycha fulva (Scopoli)

NITIDULIDAE

Meligethes aeneus (Fabricius)

LATRIDIIDAE

Latridius anthracinus Mannerheim
Cortinicara gibbosa (Herbst)

MORDELLIDAE

Mordellistena variegata (Fabricius)

CHRYSOMELIDAE

Donacia semicuprea Panzer
Galerucella sagittariae (Gyllenhal)
Podagrica fuscicornis (Linnaeus)
Chalcoides plutus (Latreille)
Epitrix pubescens (Koch)

CURCULIONIDAE

Hypera pollux (Fabricius), found as larvae feeding on *Apium nodiflorum* growing among *Sparganium* at edge of dyke, adults reared later in the month confirmed identification
Notaris acridulus (Linnaeus)
Ceutorhynchus pallidactylus (Marsham)

(e) beating various trees and shrubs in Nine Acre Wood, Aldreth TL444722, 6.vii.2003

CARABIDAE

Demetrias atricapillus (Linnaeus)
Dromius linearis (Olivier)

STAPHYLINIDAE

Tachyporus solutus Erichson
T. hypnorum (Fabricius)
Cypha longicornis (Paykull)
Aloconota gragaria (Erichson)
Amischa decipiens (Sharp)
Atheta clientula auctt.

SCIRTIDAE

Cyphon ochraceus Stephens

ELATERIDAE

Athous bicolor (Goeze)

CANTHARIDAE

Rhagonycha femoralis (Brullé)
R. fulva (Scopoli)

CLERIDAE

Opilo mollis (Linnaeus), 1 beaten from hawthorn, a **Notable B** species

NITIDULIDAE

Meligethes aeneus (Fabricius)

Epuraea unicolor (Olivier)

Glischrochilus hortensis (Geoffroy)

CRYPTOPHAGIDAE

Atomaria atricapilla Stephens

A. nitidula (Marsham)

PHALACRIDAE

Phalacrus fimetarius (Fabricius)

COCCINELLIDAE

Coccinella septempunctata Linnaeus

Subcoccinella vigintiquatuorpunctata (Linnaeus)

LATRIDIIDAE

Cortinicara gibbosa (Herbst)

CHRYSOMELIDAE

Phaedon tumidulus (Germar)

Phratora vitellinae (Linnaeus)

Chalcoides plutus (Latreille)

C. aurata (Marsham)

C. aurea (Geoffroy)

Psylliodes chrysocephala (Linnaeus)

APIONIDAE

Apion simile Kirby

A. vorax Herbst

CURCULIONIDAE

Ceutorhynchus pallidactylus (Marsham)

Rhynchaenus testaceus (Müller), 1 beaten from cherry or alder growing next to each other. This was once a more widespread species, but with very few recent (post 1970) records, this species is currently afforded **Red Data Book 2 - Vulnerable** status. This find appears to be the first record for Cambridgeshire.

(f) sieving litter from grass heap and base of bales, Aldreth TL4373, 6.vii.2003

CARABIDAE

Amara similata (Gyllenhal)

HYDROPHILIDAE

Cercyon pygmaeus (Illiger)

HISTERIDAE

Atholus duodecimstriatus (Schrank)

Carcinops pumilio (Erichson)

PTILIIDAE

Ptenidium laevigatum Erichson

Nephanes titan (Newman)

Acrotrichis sanctaehelenae Johnson (corrected from *A. grandicollis* (Mannerheim))

STAPHYLINIDAE

Stenus brunnipes Stephens

Lithocharis ochracea (Gravenhorst)

Rugilus orbiculatus (Paykull)
Gyrophypnus fracticornis (Müller)
Phacophallus parumpunctatus (Gyllenhal)
Philonthus discoideus (Gravenhorst)
P. rectangulus Sharp
Tachinus signatus Gravenhorst
Cilea silphoides (Linnaeus)
Oligota parva Kraatz
Amischa analis (Gravenhorst)
A. nigrofusca (Stephens)
Atheta atramentaria (Gyllenhal)
Trichiusa immigrata Lohse

CLAMBIDAE

Calyptomereus dubius (Marsham)
Clambus pubescens Redtenbacher

RHIZOPHAGIDAE

Monotoma bicolor Villa & Villa
M. brevicollis Aubé
M. picipes Herbst
M. spinicollis Aubé
M. testacea Motschulsky

SILVANIDAE

Ahasverus advena (Waltl)

CRYPTOPHAGIDAE

Cryptophagus acutangulus Gyllenhal
C. distinguendus Sturm
Atomaria lewisi Reitter
A. testacea Stephens
A. atricapilla Stephens
Ephistemus globulus (Paykull)

CORYLOPHIDAE

Orthoperus atomus (Gyllenhal)

LATRIDIIDAE

Latridius anthracinus Mannerheim
Enicmus transversus (Olivier)
Dienerella ruficollis (Marsham)
Corticaria serrata (Paykull)

ANTHICIDAE

Anthicus floralis (Linnaeus)
A. formicarius (Goeze)

CURCULIONIDAE

Ceutorhynchus picitarsis Gyllenhal

Beetles from Haddenham and Aldreth in 2004

(a) edge of Nine Acre Wood and bank of River Great Ouse, Aldreth TL4472, 14.vi.2004

PHALACRIDAE

Phalacrus fimetarius (Fabricius)

CERAMBYCIDAE (Longhorn beetles)

Clytus arietis (Linnaeus), the Wasp Beetle, watched flying/ walking over surface of dead elm at edge of wood

CHRYSOMELIDAE (Leaf beetles)

Donacia semicuprea Panzer, on *Glyceria* at edge of river

Podagrica fuscicornis (Linnaeus), on mallow

CURCULIONIDAE (weevils and bark beetles)

Scolytus multistriatus (Marsham), one of the bark beetles responsible for the spread of Dutch Elm Disease, under bark of dead elm at edge of wood

(b) water-netting dyke, Haddenham TL433766, 14.vi.2004

HALIPLIDAE (water beetles)

Halplus lineatocollis (Marsham)

H. immaculatus Gerhardt

DYTISCIDAE (water beetles)

Hyphydrus ovatus (Linnaeus)

Nebrioporus assimilis (Paykull)

Ilybius quadriguttatus (Lacordaire)

HYDROPHILIDAE (water beetles)

Berosus luridus (Linnaeus)

PHALACRIDAE

Phalacrus fimetarius (Fabricius)

COCCINELLIDAE (ladybirds)

Subcoccinella vigintiquatuorpunctata (Linnaeus)

CHRYSOMELIDAE (Leaf beetles)

Phaedon cochleariae (Fabricius), feeds on water cress etc.

CURCULIONIDAE (weevils and bark beetles)

Poophagus sisymbrii (Fabricius)

(c) in large fungus on elm log at Guppy's Pond, Haddenham TL468762, 16.vi.2004

LATRIDIIDAE

Enicmus transversus (Olivier)

Beetles from Haddenham and Aldreth area in 2005

(a) Bury Lane, Haddenham TL460749, 9.vii.2005

APIONIDAE

Apion simile

CURCULIONIDAE

Rhamphus oxyacanthae

(b) late evening at Nine Acre Wood, Aldreth TL444722, 9.vii.2005

CARABIDAE

Leistus rufescens

HYDROPHILIDAE

Helophorus minutus

STAPHYLINIDAE

Tachyporus hypnorum

SCARABAEIDAE

Aphodius rufipes

ELATERIDAE

Agriotes obscurus

Agriotes sputator

NITIDULIDAE

Meligethes aeneus

COCCINELLIDAE

Subcoccinella vigintiquattuorpunktata

Tytthaspis sedecimpunctata

Hippodamia variegata

TENEBRIONIDAE

Lagria hirta

CHRYSOMELIDAE

Phaedon tumidulus

Chalcoides aurea

Podagrica fuscicornis

(c) around edge of pits by old railway line, Haddenham TL462765, 10.vii.2005

CARABIDAE

Bembidion lunulatum (Geoffroy in Fourcroy)

STAPHYLINIDAE

Stenus brunnipes Stephens

Tachyporus nitidulus (Fabricius)

Hygronoma dimidiata (Gravenhorst)

Alianta incana (Erichson)

CANTHARIDAE

Cantharis thoracica (Olivier)

Silis ruficollis (Fabricius)

PHALACRIDAE

Phalacrus caricis Sturm

COCCINELLIDAE

Coccidula rufa (Herbst)

Coccidula scutellata (Herbst)
Anisosticta novemdecimpunctata (Linnaeus)
Tytthaspis sedecimpunctata (Linnaeus)
Coccinella septempunctata Linnaeus

LATRIDIIDAE

Cortinicara gibbosa (Herbst)

CHRYSOMELIDAE

Oulema melanopus agg.
Gastrophysa polygoni (Linnaeus)
Gastrophysa viridula (De Geer)

CURCULIONIDAE

Hypera pollux (Fabricius)
Gymnetron villosulum Gyllenhal - on pink water speedwell, *Veronica catenata*

(d) Bury Lane, Haddenham TL460750, sieving grass cuttings, 10.vii.2005

STAPHYLINIDAE

Philonthus sordidus (Gravenhorst)
Oligota parva Kraatz
Oligota pumilio Kiesenwetter
Atheta (Datomicra) nigra (Kraatz)

(e) Tubb's Farm, Sutton TL4078, scrapings from barn owl nest box, 12.vii.2005

HISTERIDAE

Gnathoncus communis (Marseul) [= *schmidtii* Reitter]
Gnathoncus rotundatus (Kugelann) [= *nanus* (Scriba)]

Beetles from Haddenham in 2007

(a) Bury Lane, Haddenham TL460750, attracted to mv light at night, 13.vii.2007

CARABIDAE

Harpalus rufipes (De Geer)
Ophonus rufibarbis (Fabricius)
Ophonus ardosiacus (Lutshnik)

HYDROPHILIDAE

Laccobius striatulus (Fabricius)

SILPHIDAE

Necrodes littoralis (Linnaeus)

SCARABAEIDAE

Aphodius rufipes (Linnaeus)

CRYPTOPHAGIDAE

Telmatophilus brevicollis Aubé

CERAMBYCIDAE

Arhopalus rusticus (Linnaeus)

CURCULIONIDAE

Curculio venosus (Gravenhorst)

(b) Bury Lane, Haddenham TL460750, beating honeysuckle in hedge, 14.vii.2007

ANOBIIDAE

Dryophilus pusillus (Gyllenhal)

NITIDULIDAE

Epuraea unicolor (Olivier)

SCRAPTIIDAE

Anaspis regimbarti Schilsky

(c) Haddenham TL4775, afternoon pasture area walk with HCS members, 14.vii.2007

CARABIDAE

Elaphrus riparius (Linnaeus)
Bembidion articulatum (Panzer)
Dromius melanocephalus Dejean

STAPHYLINIDAE

Tachyporus nitidulus (Fabricius)

CRYPTOPHAGIDAE

Cryptophagus setulosus Sturm

CHRYSOMELIDAE

Bruchidius varius (Olivier)

ATTELABIDAE

Rhynchites germanicus Herbst

CURCULIONIDAE

Liophloeus tessulatus (Müller, O.F.)
Zacladus exiguus (Olivier)

Ceutorhynchus typhae (Herbst) [= *floralis* (Paykull)]
Rhynchaenus alni (Linnaeus)

(d) Bury Lane, Haddenham TL460750, 15.vii.2007

DYTISCIDAE
Scarodytes halensis (Fabricius)

NITIDULIDAE
Omosita colon (Linnaeus)

LATRIDIIDAE
Corticaria serrata (Paykull)

(e) Haddenham TL460750, attracted to mv light at night, 15.vii.2007

CARABIDAE
Stenolophus mixtus (Herbst)
Bradycellus verbasci (Duftschmid)

DYTISCIDAE
Rhantus suturalis (MacLeay)

HYDROPHILIDAE
Anacaena lutescens (Stephens)

SCARABAEIDAE
Aphodius rufipes (Linnaeus)

(f) Haddenham TL4376, sieving large heap of horse manure, stable sweepings, cow dung and straw, etc. at edge of fen drove road, 15.vii.2007

CARABIDAE
Amara bifrons (Gyllenhal)
Syntomus obscuroguttatus (Duftschmid) [was *Metabletus*]
Syntomus truncatellus (Linnaeus) [was *Metabletus*]

HYDROPHILIDAE
Cercyon unipunctatus (Linnaeus)
Cercyon analis (Paykull)
Cercyon quisquilius (Linnaeus)
Cercyon haemorrhoidalis (Fabricius)

PTILIIDAE
Ptenidium pusillum (Gyllenhal)
Nephanes titan (Newman)
Acrotrichis montandoni (Allibert)
Acrotrichis thoracica (Waltl)

STAPHYLINIDAE
Oxytelus sculptus Gravenhorst
Astenus pulchellus (Heer)
Lithocharis nigriceps Kraatz
Rugilus orbiculatus (Paykull)
Megalinus glabratus (Gravenhorst) [was *Xantholinus*]
Philonthus cognatus Stephens
Philonthus cephalotes (Gravenhorst)
Philonthus sordidus (Gravenhorst)
Habrocerus capillaricornis (Gravenhorst)
Oligota parva Kraatz
Nehemitropia lividipennis (Mannerheim) [= *sordida* (Marsham)]

Atheta (Dimetrota) atramentaria (Gyllenhal)
Atheta (Datomicra) nigra (Kraatz)
Atheta (Mocyta) fungi (Gravenhorst)
Trichiusa immigrata Lohse
Acrotona pygmaea (Gravenhorst)
Oxypoda haemorrhoea (Mannerheim)
Crataerua suturalis (Mannerheim)
Euplectus sanguineus Denny

RHIZOPHAGIDAE

Monotoma picipes Herbst

SILVANIDAE

Ahasverus advena (Waltl)

CRYPTOPHAGIDAE

Atomaria testacea Stephens [= *ruficornis* (Marsham)]
Atomaria lewisi Reitter
Ephistemus globulus (Paykull)

CORYLOPHIDAE

Orthoperus aequalis Sharp

LATRIDIIDAE

Latridius porcatus Herbst [= *anthracinus* Mannerheim]
Corticaria serrata (Paykull)

MYCETOPHAGIDAE

Litargus balteatus LeConte

ANTHICIDAE

Anthicus floralis (Linnaeus)
Anthicus formicarius (Goeze)

Haddenham Beetles 2013

Beetles (Coleoptera) recorded by Roger Booth at Fairchild's Meadows, 30 June 2013, during the HCS Bug Hunt day.

CARABIDAE (Ground beetles)

Bembidion articulatum (Panzer)

Bembidion lunulatum (Geoffroy in Fourcroy)

Agonum marginatum (Linnaeus)

DYTISCIDAE (Water beetles)

Hyphydrus ovatus (Linnaeus)

Hygrotus (Coelambus) confluens (Fabricius)

Hydroporus planus (Fabricius)

Agabus bipustulatus (Linnaeus)

HELOPHORIDAE (Water beetles)

Helophorus aequalis Thomson

Helophorus griseus Herbst

HYDROPHILIDAE (Water beetles)

Enochrus testaceus (Fabricius)

STAPHYLINIDAE (Rove beetles)

Stenus cicindeloides (Schaller)

Gnypeta carbonaria (Mannerheim)

Philonthus quisquiliarius (Gyllenhal)

CANTHARIDAE (Soldier beetles)

Malthodes minimus (Linnaeus)

Cantharis pallida Goeze

Silis ruficollis (Fabricius)

COCCINELLIDAE (Ladybird beetles)

Tytthaspis sedecimpunctata (Linnaeus)

Psyllobora vigintiduopunctata (Linnaeus)

Subcoccinella vigintiquattuorpunctata (Linnaeus)

OEDEMERIDAE

Oedemera nobilis (Scopoli)

CHRYSOMELIDAE (Leaf beetles)

Neocrepidodera transversa (Marsham)

APIONIDAE (Weevils, in part)

Apion trifolii (Linnaeus)

Apion apricans Herbst

CURCULIONIDAE (Weevils)

Sitona sulcifrons (Thunberg)